

'P'RESSURE 'S'ENSITIVE 'A'DHESIVE

1 or 2 – SIDED ADHESIVE

"PSA"

NO HEAT NEEDED-APPLY & PRESS

The Strongest – 486N


High Temperature - Exterior – Permanent Polyester Fiber Grid Inner Support Layer

Use for: Plastic, Wood, Vinyl, Leather, Glass, Metals, Fabric

Indoor/Outdoor Use – High Cohesion & Extreme Peel Strength

High Temperature Applications up to 300°F !

Roll length 66' Lineal




486M

Inner Support Layer

Similar to 486N, but thinner and lower cost


For smooth surfaces

Roll length 250" x 25"



486U


Solid Adhesive – no inner layer (Unsupported)
with one side release liner



#884 - AD

CLEAR/See Through - PSA

Vinyl Release Carrier for Visual Positioning



#550-W Tacky PSA / Permanent

2 – sided


Tacky / **Repositionable**

or

Heat Activated / Permanent

Use with paper, fabric, etc.

For permanent - Heat Press@ 275°F for 20 – 30 seconds



LENDERINK TECHNOLOGIES

1267 House St. NE, Belmont, MI 49306

(616) 887-8257 Fax (616) 887-7910 www.lenderink.com

'P'RESSURE 'S'ENSITIVE 'A'DHESIVE

DOT MATRIX™

**140 Individual Dots per sq. inch
Peel and Stick**
Allows adherence to irregular shapes without waste
Available in Sheets or Rolls

OPTICALLY CRYSTAL CLEAR

#TD – with support
Crystal Clear Pressure Sensitive Adhesive
Permanent - Permanent

PE - Permanent / PA - Tacky

1005 – B
One side Heat Activated Permanent
One side Tacky PSA

“Removable” Overlay

PSA – No Heat Needed
Clear – Protective – Film Overlay
For Deco/ Art/ Paint/ Stencils

Acrylic Foam

PSA – Permanent Acrylic
for mounting to wall or window, etc.
all purpose – wood, glass, metal, plastic, fabric,
vinyl, paper, etc.



Items Rolled on 3” Core – Unless Sheeted

Revised 1/2020



LENDERINK TECHNOLOGIES

1267 House St. NE, Belmont, MI 49306
(616) 887-8257 Fax (616) 887-7910 www.lenderink.com

Pressure Sensitive

Pressure sensitive adhesives require no heat or equipment to apply... Simply press to create a bond! Nip Roll Laminators help too.

Dot Matrix™ – Peel and Stick adhesive – available in sheets or rolls.

An excellent hobby (such as scrapbooking) medium. Provides 140 adhesive dots per square inch. No waste transfer as Dot Matrix™ conforms to the shape of the item. Use the thicker Super Dot Matrix™ version for cork, foam & other porous surfaces.

- **Pressure Sensitive Adhesive #486M – A thin adhesive for smooth surfaces.**
- **Pressure Sensitive Adhesive #486N – for both indoor and outdoor use as well as high temperature applications up to 300 degrees F.!**
- **Pressure Sensitive Adhesive # 486N - provides excellent bonds to most surfaces. It has high cohesion and extreme peel strength.**


This 2-sided adhesive is designed specifically for gaskets, high performance heat resistant labels and tapes, outdoor signs and decorations. # 486N has a tough polyethylene inner liner that stabilizes each side of the adhesive film. Use this pressure sensitive adhesive wherever you need an extremely strong, permanent no slip bond. It is our very best PSA for wood veneers to plastics and metals.

- **Sheeting and slitting are possible.**
- **Pressure Sensitive Adhesive #777 – a permanent, extremely strong acrylic adhesive has one-side repositionable with strippable grid.**

Top of the line! Remarkable permanent acrylic adhesive that's extremely strong. Especially designed to allow precision location of parts to be bonded. One surface of this double-sided adhesive tape is treated to give easy, non-stick movement of parts to a precise location before bonding to full strength when firmly pressed. Has strong Poly liner with thin foam innerply. One side has the unique ability to be stripped away perfectly clean, leaving substrate free of any residue. The tape is very strong and offers excellent bonds on most rough or smooth surfaces. Allows for decorative floor, wall or cabinet overlays to be later stripped clean and replaced with little or no surface preparation or cleaning before next decorative overlay is applied. Great for displays, shows, sets, crafts, anything that may need to be re-done or re-covered at a later date. Easy, fast, clean, low-cost removal possible.

- **Shelf life is approximately 1 year. For interior and exterior use.**
- **Available in rolls up to 30" wide. Sheeting and slitting are possible.**

Lenderink



NEW TECHNOLOGY

Lenderink Assists the Designer in fulfilling a Dream, Vision Proto Types and Products.

◆ Deco/Designer Surfaces

- Unique Flat or 3D Molded
- Needled "Logo" Fabrics-Cork-Banana-Microwoods-Print-Emboss/Deboss, Carve

◆ Overlays

- DryFilm-Extreme High wear, "UV", Erasable, Clear, Colored

◆ Woods

- Exotic-3D, Translucent- Acoustic Perforated-Tubes-Print ON

◆ Gifts-Packaging

- Customers and Executives

◆ Adhesives (DRIBOND)

- Bio Degradable, Thermoset, Thermoplastic, Pressure Sensitive

◆ Fire Retarding

◆ Acoustic Design

◆ Equipment "Unique Special"

◆ Heated Desk—98% green heat!

For making your dreams come true.

www.lenderink.com

(616) 887-8257

